



ಕರ್ನಾಟಕ ಸರ್ಕಾರದ ನಡವಳಿಗಳು

ವಿಷಯ:- ಮೆಬಿಲ್‌ಫ ಶಕ್ತಿ ಸಿಮೆಂಟ್ (ಮೆ:ವಾಸವದತ್ತ ಸಿಮೆಂಟ್) ಇವರಿಗೆ ಹಂಚಿಕೆ ಮಾಡಲಾದ ನೀರಿನ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸುವ ಬಗ್ಗೆ.

ಓದಲಾಗಿದೆ:- ಸರ್ಕಾರದ ಪತ್ರ ಸಂಖ್ಯೆ:ಜಸಂಇ 185 ಕೆಬಿಎನ್ 2014, ದಿನಾಂಕ:29/06/2015.

ಪ್ರಸ್ತಾವನೆ:-

ಮೇಲೆ ಓದಲಾದ ಸರ್ಕಾರದ ಆದೇಶದಲ್ಲಿ ಮೆಬಿಲ್‌ಫ ಶಕ್ತಿ ಸಿಮೆಂಟ್ (ಮೆ:ವಾಸವದತ್ತ ಸಿಮೆಂಟ್) ಇವರಿಗೆ ವಾರ್ಷಿಕ 0.06516 ಟಿ.ಎಂ.ಸಿ (65.164 ಎಂ.ಸಿ.ಎಫ್.ಟಿ) ನೀರನ್ನು ಕಾಗಿನಾ ನದಿಯಿಂದ ಎತ್ತಿ ಬಳಸಲು ದಿನಾಂಕ:15.01.2014 ರಿಂದ ಅನ್ವಯವಾಗುವಂತೆ ಮುಂದಿನ 5 ವರ್ಷಗಳ ಅಂದರೆ 14.01.2019ರವರೆಗೆ ಅನುಮತಿ ನೀಡಲಾಗಿದೆ. ಪರವಾನಗಿ ದಿನಾಂಕ:14.01.2019ರಂದು ಮುಕ್ತಾಯಗೊಂಡಿರುತ್ತದೆ.

ವ್ಯವಸ್ಥಾಪಕ ನಿರ್ದೇಶಕರು, ಕರ್ನಾಟಕ ನೀರಾವರಿ ನಿಗಮ ಇವರ ದಿನಾಂಕ:05.08.2019ರ ಪತ್ರದಲ್ಲಿ ಸದರಿ ಕಂಪನಿಯವರು ಡಿಸೆಂಬರ್ 2018ರವರೆಗೆ ರೂ.3200.00 ದರದಂತೆ ಕರವನ್ನು ಭರಿಸಿದ್ದರಿಂದ ಸರ್ಕಾರದ ಪರಿಷ್ಕೃತ ದರ ರೂ.1,50,000.00 ಪ್ರತಿ ಎಂ.ಸಿ.ಎಫ್.ಟಿ.ರಂತೆ ನಿಗದಿಯಾದ ದಿನಾಂಕದಿಂದ ಡಿಸೆಂಬರ್‌ವರೆಗಿನ ವ್ಯತ್ಯಾಸದ ಹಣವನ್ನು ಭರಿಸಲು ಹಾಗೂ ಜನವರಿ 2019 ರಿಂದ ಮೇ 2019ರವರೆಗೆ ಪ್ರತಿ ಎಂ.ಸಿ.ಎಫ್.ಟಿ.ಗೆ ರೂ.1,50,000.00 ರಂತೆ ಭರಿಸಲು ಸೂಚಿಸಿದ್ದರಿಂದ ವ್ಯತ್ಯಾಸದ ಮೊತ್ತ ರೂ.55,79,868.00 ಮತ್ತು ಜನವರಿ 2019 ರಿಂದ ಮೇ 2019ರವರೆಗೆ ರೂ.40,72,500.00 ಅನ್ನು ಪರಿಷ್ಕೃತ ದರದಂತೆ ಭರಿಸಿದ್ದರಿಂದ ಕರಾರು ನವೀಕರಿಸುವ ಪ್ರಸ್ತಾವನೆಗೆ ಅನುಮೋದನೆ ನೀಡುವಂತೆ ಶಿಫಾರಸ್ಸು ಮಾಡಿರುತ್ತಾರೆ.

ಸದರಿ ಪ್ರಸ್ತಾವನೆಯನ್ನು ದಿನಾಂಕ:22/01/2020ರಂದು ಅಪರ ಮುಖ್ಯ ಕಾರ್ಯದರ್ಶಿಗಳು, ಜಲ ಸಂಪನ್ಮೂಲ ಇಲಾಖೆ ಇವರ ಅಧ್ಯಕ್ಷತೆಯ ಸಮಿತಿ ಸಭೆಯಲ್ಲಿ ಮಂಡಿಸಲಾಗಿದ್ದು, ಸಮಿತಿಯು ಪ್ರಸ್ತಾವನೆಯನ್ನು ಪರಿಶೀಲಿಸಿದ ನಂತರ, ವ್ಯವಸ್ಥಾಪಕ ನಿರ್ದೇಶಕರು, ಕರ್ನಾಟಕ ನೀರಾವರಿ ನಿಗಮ ನಿಯಮಿತ ಇವರು ನೀಡಿರುವ ವರದಿಯ ಹಿನ್ನೆಲೆಯಲ್ಲಿ, ಮೆಬಿಲ್‌ಫ ಶಕ್ತಿ ಸಿಮೆಂಟ್ (ಮೆ:ವಾಸವದತ್ತ ಸಿಮೆಂಟ್) ಇವರಿಗೆ ವಾರ್ಷಿಕ 0.06516 ಟಿ.ಎಂ.ಸಿ (65.164 ಎಂ.ಸಿ.ಎಫ್.ಟಿ) ನೀರನ್ನು ಕಾಗಿನಾ ನದಿಯಿಂದ ಎತ್ತಿ ಮಳೆಗಾಲದಲ್ಲಿ ಹರಿಯುವ ಹೆಚ್ಚುವರಿ ನೀರನ್ನು ನೇರವಾಗಿ ಎತ್ತಿ ಉಪಯೋಗಿಸಲು ಹಾಗೂ ಮಳೆಗಾಲವಲ್ಲದ ಬೇಡಿಕೆಯನ್ನು ಸಹ ಮಳೆಗಾಲದಲ್ಲೇ ಎತ್ತಿ ಸದರಿ ಕಾರ್ಖಾನೆಯ ಆವರಣದಲ್ಲಿ ಸ್ವಂತ ವೆಚ್ಚದಲ್ಲಿ ಶೇಖರಣಾ ವ್ಯವಸ್ಥೆ ನಿರ್ಮಿಸಿ ಇದರಲ್ಲಿ ತುಂಬಿಸಿಕೊಂಡು ಬಳಸಿಕೊಳ್ಳಲು ಹಾಗೂ ಜಲಸಂಪನ್ಮೂಲ ಇಲಾಖೆಯಿಂದ ವಿಧಿಸಲಾಗುವ ಷರತ್ತುಗಳಿಗೊಳಪಟ್ಟು ದಿನಾಂಕ:15.01.2019 ರಿಂದ ದಿನಾಂಕ:14.01.2024ರವರೆಗೆ ನೀರಿನ ಬಳಕೆಯ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಸಮಿತಿಯು ಶಿಫಾರಸ್ಸು ಮಾಡಿರುತ್ತದೆ.

ಅದರಂತೆ, ಪ್ರಸ್ತಾವನೆಯಲ್ಲಿನ ಅಂಶಗಳನ್ನು ಕೂಲಂಕಷವಾಗಿ ಪರಿಶೀಲಿಸಿ, ಈ ಕೆಳಗಿನಂತೆ ಆದೇಶಿಸಿದೆ.

ಸರ್ಕಾರದ ಆದೇಶ ಸಂಖ್ಯೆ:ಜಸಂಇ 86 ಕೆಬಿಎನ್ 2019, ಬೆಂಗಳೂರು, ದಿನಾಂಕ:05/09/2020.

ಮೆ:ಬಿಲ್ಡ್ ಶಕ್ತಿ ಸಿಮೆಂಟ್ (ಮೆ:ವಾಸವದತ್ತ ಸಿಮೆಂಟ್) ಇವರಿಗೆ ವಾರ್ಷಿಕ 0.06516 ಟಿ.ಎಂ.ಸಿ (65.164 ಎಂ.ಸಿ.ಎಫ್.ಟಿ) ನೀರನ್ನು ಕಾಗಿನಾ ನದಿಯಿಂದ ಎತ್ತಿ ಮಳೆಗಾಲದಲ್ಲಿ ಹರಿಯುವ ಹೆಚ್ಚುವರಿ ನೀರನ್ನು ನೇರವಾಗಿ ಎತ್ತಿ ಉಪಯೋಗಿಸಲು ಹಾಗೂ ಮಳೆಗಾಲವಲ್ಲದ ಬೇಡಿಕೆಯನ್ನು ಸಹ ಮಳೆಗಾಲದಲ್ಲೇ ಎತ್ತಿ ಸದರಿ ಕಾರ್ಖಾನೆಯ ಆವರಣದಲ್ಲಿ ಸ್ವಂತ ವೆಚ್ಚದಲ್ಲಿ ಶೇಖರಣಾ ವ್ಯವಸ್ಥೆ ನಿರ್ಮಿಸಿ ಇದರಲ್ಲಿ ತುಂಬಿಸಿಕೊಂಡು ಬಳಸಿಕೊಳ್ಳಲು ಹಾಗೂ ಜಲಸಂಪನ್ಮೂಲ ಇಲಾಖೆಯಿಂದ ವಿಧಿಸಲಾಗುವ ಷರತ್ತುಗಳಿಗೊಳಪಟ್ಟು ದಿನಾಂಕ:15.01.2019 ರಿಂದ ದಿನಾಂಕ:14.01.2024ರವರೆಗೆ ನೀರಿನ ಬಳಕೆಯ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಿ ಆದೇಶಿಸಿದೆ.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆಜ್ಞಾನುಸಾರ
ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

(ರವೀಂದ್ರ ಕೊಂಡ)

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ(ತಾಂತ್ರಿಕ-5)
ಜಲ ಸಂಪನ್ಮೂಲ ಇಲಾಖೆ

ಪ್ರತಿಯನ್ನು:

1. ಮಹಾಲೇಖಪಾಲರು, (ಲೆಕ್ಕಪತ್ರ ಮತ್ತು ಆಡಿಟ್), ಕರ್ನಾಟಕ, ಬೆಂಗಳೂರು.
2. ಸರ್ಕಾರದ ಅಪರ ಮುಖ್ಯ ಕಾರ್ಯದರ್ಶಿಗಳು, ಜಲಸಂಪನ್ಮೂಲ ಇಲಾಖೆ, ವಿಕಾಸಸೌಧ, ಬೆಂಗಳೂರು.
3. ಸರ್ಕಾರದ ಕಾರ್ಯದರ್ಶಿಗಳು, ಜಲಸಂಪನ್ಮೂಲ ಇಲಾಖೆ, ವಿಕಾಸಸೌಧ, ಬೆಂಗಳೂರು.
4. ಹೆಚ್ಚುವರಿ ಕಾರ್ಯದರ್ಶಿಗಳು, ಜಲ ಸಂಪನ್ಮೂಲ ಇಲಾಖೆ, ಬೆಂಗಳೂರು.
5. ವ್ಯವಸ್ಥಾಪಕ ನಿರ್ದೇಶಕರು, ಕರ್ನಾಟಕ ನೀರಾವರಿ ನಿಗಮ ನಿಯಮಿತ, ಬೆಂಗಳೂರು
6. ಮುಖ್ಯ ಇಂಜಿನಿಯರ್, ಜಲಸಂಪನ್ಮೂಲ ಅಭಿವೃದ್ಧಿ ಸಂಸ್ಥೆ, ಬೆಂಗಳೂರು.
7. ಮುಖ್ಯ ಇಂಜಿನಿಯರ್, ನೀರಾವರಿ ಯೋಜನೆಗಳ ವಲಯ, ಕಲಬುರಗಿ.
8. ವ್ಯವಸ್ಥಾಪಕ ನಿರ್ದೇಶಕರು, ಮೆ:ಇ.ಐ.ಡಿ. ಪಾರಿ (ಇಂಡಿಯಾ) ಲಿಮಿಟೆಡ್, ಎನ್.ಹೆಚ್.50, ನಾಗರಾಳ್ ಪೋಸ್ಟ್, ನೈನಗಲಿ-587207, ಬಾಗಲಕೋಟೆ ತಾಲ್ಲೂಕು ಮತ್ತು ಜಿಲ್ಲೆ.
9. ಶಾಖಾ ರಕ್ಷಕ ಕಡತ/ ಹೆಚ್ಚಿನ ಪ್ರತಿಗಳು.

CONDITIONS

(ಸರ್ಕಾರದ ಆದೇಶ ಸಂಖ್ಯೆ:ಜಸಂಇ 86 ಕೆಬಿಎನ್ 2018 ದಿನಾಂಕ:05/09/2020ಕ್ಕೆ ಪರತ್ತುಗಳು)

1. This permission is valid for 5 years and further renewal shall be subject to the availability of water.
2. The Industry shall install necessary water measuring devices at their own cost. These devices shall be under the control of the Water Resources Department. Any repair to the devices shall be carried out by the company after bringing it to the notice of Water Resources Department.
3. The Industry should pay the prevailing Water rates being levied by the Water Resources Department from time to time.
4. The Industry shall have their own storage facility and water recycling facility. The Industry shall prepare the details of recycling plant and obtain necessary approvals from the Government.
5. The Industry should adopt rain water harvesting technology in order to achieve savings in use of water. The Industry is responsible to qualify such savings of water.
6. The Company shall draw only such quantity of required water after accounting for all such above savings.
7. As there is constant Research and Development in the Cement industry, the industry should adopt new technologies over the next 4 to 5 years and thereby bring down their requirement of water.
8. The Industry should explore conjunctive use of Water from bore wells and bring down their surface water requirement.
9. Integrated use of water from all the units of the industry should be adopted and savings should be achieved and accounted.
10. As the drawal is from the Kagina River particularly during the months of February to July or when the inflows is poor or sufficient storage is not available in the River to meet the Irrigation demand and drinking water demand, industry should use water from its own storage/pondage and the Water Resources Department will not be responsible for any of the damage/loss so sustained by the Industry.
11. The Industry shall make use of the water so drawn through the pipeline only for the approved Industrial purpose and not for any other use.
12. The Industries Department shall ensure that the Industry have taken or obtained necessary approvals from the respective authorities for laying the pipeline.
13. The Industry shall obtain clearance from the Forest, Ecology & Environment Department and other departments concerned and only after the obtaining the permission, the company shall commence the operation.

14. The Industry is responsible for taking all precautionary measures not to cause any damage to any of the property at the time of laying the pipeline or after laying the pipeline and in case any damage is caused the industry should compensate at its own cost.
15. The Industry should handle and manage all such public disputes arising at any time and the Water Resources Department shall never be responsible for such disputes and the Industry shall bear all the expenses in settling such disputes.
16. The Industry is well informed that the permission given by Water Resources Department will be reviewed if necessary, at any time and the Industry will be asked to renew the permission at any time by Water Resources Department.
17. The Industry shall discharge the used water well treated to (CPHEEO/BIS/KPSCB) standards and in case of failure for not treating the water, the permission given will be un-conditionally withdrawn.
18. The Industries is being a cement industry should take necessary precautionary measures to see that no residue is led into the natural water sources all along the pipeline or at the Industry's premises and also see that the gases emitted from the industry is well treated to the harmless level and led to the atmosphere.
19. Before commencing the operation of the Industry, the industry should inform the concerned officer of the Water Resources Department and ensure that all the safety measures have been taken and all the above conditions are complied with.
20. In case of any disputes (Administrative or Legal or Combination of both) the Industry shall settle the matter at its own cost.
21. The Industry shall be well informed that in case of failure to comply to any of the above conditions, the permission accorded to the Industry for the drawal of water from the Water Resources Department will be with drawn without any prior notice.
22. The industry should enter into an agreement with an Officer as indicated by the Nigam incorporating all above conditions.
23. As there is constant research and development in technology the company should adopt new technologies in near future to reduce the consumption of the water.
24. The industry should explore the conjunctive use of water from the bore wells and bring down surface water requirement.
25. Integrated use of water in all the units of the factory should be adopted and savings should be achieved and accounted for.
26. In case of violation of any of the above conditions the permission now given could be withdrawn without assigning any reason thereof with one prior notice.

