

E-5

**PROCUREMENT OF FURNITURE TO STATE
DATA CENTRE
UNDER
NATIONAL SHOPPING PROCEDURES**

**Supply of Furniture to State Data Centre
(Conference Hall of WRDO) under
National Hydrology Project**

O/o Chief Engineer & Nodal officer(NHP)
WRDO, Bengaluru

**(For Contracts valued less than or
Equivalent of US \$100,000 each)**

**Government of Karnataka
(Water Resources Department)**

No.WRDO/NHP /FURNITURE /2019-20 /2

Office of Chief Engineer,WRDO &
Nodal Officer, NHP
SWDC Building, A.R.Circle,
Bengaluru-560009,
Dated:18.06.2019

**INVITATION FOR QUOTATIONS FOR SUPPLY OF FURNITURE TO STATE DATA
CENTRE (CONFERENCE HALL OF WRDO) UNDER NATIONAL SHOPPING
PROCEDURES**

To,

Dear Sir,

Sub.: Invitation for quotation for Supply of Furniture to State Data Center
(Conference Hall Of WRDO).

1. You are invited to submit your most competitive quotation for the following goods:-

Sl No.	Brief Description of the goods	Specifications*	Quantity	Delivery period	Place of Delivery	Installation requirement if any
1	2	3	4	5	6	7
1	Details enclosed	Details enclosed	Details enclosed	15 days From the date of letter of acceptance	Water Resources Development Organisation, 1 st floor, Anandrao Circle, Bengaluru.	Furniture to be installed in the State Data Center (Conference Hall of WRDO)

*Where ISI certification marked goods are available in market, procurement should generally be limited to goods with those or equivalent marking only.

2. The Government of India has received a credit from the International Development Association (IDA) in various currencies equivalent to US Dollars 175.0 million towards the cost of the National Hydrology Project and intends to apply part of the proceeds of this credit to eligible payments under the Contract(s) for which this Invitation for quotations is issued.

3. Bid Price

- a) The contract shall be for the full quantity as described above. Correction, if any shall be made by crossing out, initialling, dating and re-writing .
- b) All Duties, Taxes and other levies payable on the raw materials, components shall be included in the total price.
- c) Sales tax in connection with the sale shall be shown separately
- d) The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- e) The Prices shall be quoted in Indian Rupees only.

4. Each Bidder shall submit only one quotation.

5. Validity of Quotation

Quotation shall remain valid for a period not less than 15 days after the deadline date specified for submission.

6. Evaluation of Quotation

The Purchaser will evaluate and compare the quotations determined to be Substantially responsive i.e. which

- (a) Are properly signed; and
- (b) Conform to the terms and conditions, and specifications.

The Quotations would be evaluated for all the items together.

Sales tax in connection with sale of goods shall not be taken into account in evaluation.

7. Award of contract

The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.

7.1. Notwithstanding the above, the purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.



7.2. The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchaser order.

8. Payment shall be made immediately after the satisfactory supply and installation of goods.

9. Normal commercial warranty/ guarantee shall be applicable to the supplied goods.


10. You are requested to provide your offer latest by 15.30 hours on 01.07.2019

12. We look forward to receiving your quotations and thank you for your interest in this Project


Name: Project Director NHP &
Superintending Engineer, Hydrology
Address: WRDO, SWDC Building,
A.R. Circle, Bengaluru
Tel. No.: 9900824003


CONSIGNEE LIST



Sl. No.	Consignee, Name and Address	Item	Quantity
1	Water Resources Development Organisation , 1st floor, SWDC building, Anandrao Circle, Bengaluru.	1) Executive Table	1 No.
		2) Executive Revolving Chairs	25 Nos.
		3) Visitors Chairs	50 Nos
		4) Buy Back of Revolving Chairs	22 Nos
		5) Buy Back of Wooden cushion Chairs	10 Nos
		6) Buy Back of Visitor Chairs	30Nos
		7) Buy Back of S Type Chairs with arm(steel)	7 Nos



 Project Director, NHP &
 Superintending Engineer,
 Hydrology, Bangalore.




QUOTATIONS FOR SUPPLY OF FURNITURE TO STATE DATA CENTER(Conference Hall of WRDO) UNDER NATIONAL SHOPPING PROCEDURES

(Format of Quotation)

Sl. No	Brief Description	Specifications	Image	Qty	Unit	Quoted unit rate in Rs.	Total amount	
							In figures	In words
1	2	3		4	5	6	7	8
1	EXECUTIVE TABLE	<p>Supply & Installation of Executive Table :</p> <p>GENERIC: Mode of supply: Assembled Ready To Use,Frame type: Free standing, Understructure of table: Gable end and modesty panel,Storage provided Both side without Keyboard tray ,without Foot rest.</p> <p>MATERIAL Table top Material :Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest,Gable end and modesty panel material.</p> <p>MISC Table top long sides Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue,Table top plain sides Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue,Gable end and modesty panel plain side Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue</p> <p>DIMENSION Thickness of table top ±2mm- 38 millimeter,Thickness of gable end and modesty panel ±2mm -19 millimeter,Length of table top ±10mm - 2100 millimeter,Depth of table ±10mm -900 millimeter,Height of table ±10mm -775 millimeter.</p> <p>STORAGE UNIT Number of Storage unit -Triple storage,Width of storage unit ±10mm -450mm Depth of storage unit in mm (±10mm)- 470,Height of smallest storage unit ±5mm -130 mm Height of medium storage unit ±5mm- 200mm,Height of largest storage unit ±5mm -305mm</p> <p>COLOUR & FINISH Table top finish: Laminate in colour with matt finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side Table top shade -Oxford cherry</p> <p>WARRANTY Warrantee period in number of years- 1</p> <p>CERTIFICATION Test reports to be furnished to buyer on demand complete as per the specifications including the cost & conveyance of all materials cost of labour, all lead & lifts, loading & unloading charges, transportation and all other incidental charges etc.,</p>	 	1	No			

2	<p>Executive Revolving Chairs</p>	<p>Supply & Installation of High Back Executive Leatherite revolving Chairs:</p> <p>GENERAL Chair Type- central tilt,With Tilt Tension Adjustment,Height Adjustment ± 5(mm)- up to 120 mm,With Arm, backrest with lumber support of polypropylene at multilevel across back,Arm Type - Fixed</p> <p>Colour of Fabric for Seat and Backrest -Black/Brown ,Ergonomic Seat Design, Back type -push back,Backrest is made of one piece injection moulded frame fixed type Seat ,curved Seat, with Locking mechanism,Upright locking.</p> <p>MATERIAL Pedestal Base -Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size,Arm Material Proopylene,seat material PU Foam Covered With pure leatherite,Density of PU foam used in seat KG per Cu Meter (+/- 3) -55,Density of PU foam used in backrest in KG per Cu Meter (+/- 3) -55,Material of Back Cover / Material for Backrest -Leatherite,Material of Seat Cover -leatherite GSM/Thickness of fabric $\pm 5\%$(Gram/Square meter)- 290 gram</p> <p>DIMENSION Overall Chair Height ± 15mm -1220,Backrest Height ± 15mm -600 millimeter, Backrest Width ± 10mm -650 millimeter,Seat Height ± 15 mm -520,Seat Width ± 10 mm -520,Seat Depth ± 10 mm -550 millimeter,Thickness of M S Plate Joining the under structure with Seat- 0.8 millimeter, Thickness of Plywood used in Seat ± 1(mm) -12 mm Thickness of Plywood used in Backrest ± 1(mm) -12 mm Pedestal Size (Diameter in mm) +/- 10 mm -650 Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm) -55 mm Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM) -55 mm</p> <p>WARANTEE Warrantee period in number of years 1-year</p> <p>CERTIFICATION:Test reports to be furnished to buyer on demand. complete as per the specifications including the cost & conveyance of all materials cost of labour, all lead & lifts, loading & unloading charges, transportation and all other incidental charges etc.,</p>		25	Nos			
---	--	---	---	----	-----	--	--	--

3	Visitors Chair	<p>Supply & Installation of visitors Chairs:</p> <p>1.Frame-The frame made out of 25.4mm tube of 14 gauge tube confirming to IS-7138-1973, Welded by Co2 welding process.Frame Type -4 Legs, without Castors</p> <p>2. Powdercoating-Thermo set powder coating epoxy polyester hybrids of hardness (pencil)H.B.74 and impact resistant (in lab) 60-160 kgs cm and to a thickness of 40-50 microns is carried out of 7 step pretreatment process. Colour of Fabric for Seat and Backrest -black</p> <p>3 .Fasteners-High quality hardware conforming to Hardness 38-44 and tensile strength –1300 n/mm. IS 1363-1967</p> <p>4 .Seating Structure-Seat is made out of 12mm molded hot pressed plywood in ergonomic shape fitted with Japanese T-nuts and riveted in to the plywood</p> <p>5. Upholstery-Cushion with pre-moulded foam of 50 - 60kg/m3 density in the shape of plywood.Density -- 52 kg/m3 ,Hardness -- 12.6kgf at 25%</p> <p>6. Armrest- Injection moulded polypropylene armrests</p> <p>7 .Back -Mesh Back on Frame. Back is injected moulded PP.</p> <p>8 .Fabric -Seat are duly upholstered with approved fabric. complete as per the specifications including the cost & conveyance of all materials cost of labour, all lead & lifts, loading & unloading charges, transportation and all other incidental charges etc.,</p>		50	Nos.			
4	Buy Back of Revolving Chairs	<p>Buy Back of Revolving Chairs :Push back chairs, With Arm, with backrest symmetrical lumber support,backrest has no separate adjustable headrest ,fixed type Seat,Pedestal Base with Wheels,with upright locking,seat material fabric, in as is where is condition including the cost & conveyance of all materials cost of labour, all lead & lifts, loading & unloading charges, transportation and all other incidental charges etc.,</p>		22	Nos			
5	Buy Back of High back Wooden with cushion Chairs	<p>Buy Back of High back Wooden with cushion Chairs : High back wooden chairs, with cushions , with wooden arm, fixed type seat and back rest with cushions & 4 wooden legs,in as is where is condition at site including the cost & conveyance of all materials cost of labour, all lead & lifts, loading & unloading charges, transportation and all other incidental charges etc.,</p>		10	Nos			

6	Buy Back of Visitors Chairs	Buy Back of Visitors Chairs :With Arms Chair ,Seat and Backrest Padded with Foam,Frame Type 4 Legs, Without Castors,Frame Material round pipe,fabric Seat Cover, in as is where is condition at site including the cost & conveyance of all materials cost of labour, all lead & lifts, loading & unloading charges, transportation and all other incidental charges etc.,		30	Nos			
7	Buy Back of S Type Chairs with arm (steel)	Buy Back of S Type Chairs with arm (steel) : With Arms chairs,Seat and Backrest Made of Polythene cane,Cantilever Frame, without castors,Back Cover knitted with cane, MS Frame Material, in as is where is conditionat site including the cost & conveyance of all materials cost of labour, all lead & lifts, loading & unloading charges, transportation and all other incidental charges etc.,		7	Nos			
			Grand Total					

Gross Total Cost : Rs. _____

We agree to supply the above goods in accordance with the technical specifications for a total contract price of Rs. _____ (amount in figures)

(Rs. _____ amount in words) within the period specified in the invitation for Quotations.

We also confirm that the normal commercial warrantee/guarantee of 12 Months shall apply to the offered goods.

We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery.

Signature of Supplier